

## Answer on Question #64855 – Math – Linear Algebra

### Question

Find the orthogonal canonical reduction of the quadratic form

$$-x^2 + y^2 + z^2 + 2xy - 2xz + 2yz$$

Also, find its principal axes.

### Solution

The matrix of the quadratic form:

$$A = \begin{pmatrix} -1 & 1 & -1 \\ 1 & 1 & 1 \\ -1 & 1 & 1 \end{pmatrix}.$$

The characteristic equation:

$$\begin{vmatrix} -1-\lambda & 1 & -1 \\ 1 & 1-\lambda & 1 \\ -1 & 1 & 1-\lambda \end{vmatrix} = 0$$

$$(-1-\lambda) \begin{vmatrix} 1-\lambda & 1 \\ 1 & 1-\lambda \end{vmatrix} - \begin{vmatrix} 1 & 1 \\ -1 & 1-\lambda \end{vmatrix} - \begin{vmatrix} 1 & 1-\lambda \\ -1 & 1 \end{vmatrix} = 0$$

$$(-1-\lambda)((1-\lambda)^2 - 1) - (1-\lambda+1) - (1+1-\lambda) = 0$$

$$2\lambda + 2\lambda^2 - \lambda^2 - \lambda^3 + 2\lambda - 4 = 0$$

$$\lambda^3 - \lambda^2 - 4\lambda + 4 = 0$$

$$\lambda^2(\lambda - 1) - 4(\lambda - 1) = 0$$

$$(\lambda^2 - 4)(\lambda - 1) = 0$$

$$\lambda_1 = 1; \lambda_2 = -2; \lambda_3 = 2.$$

The orthogonal canonical reduction:

$$Q = \lambda_1 x'^2 + \lambda_2 y'^2 + \lambda_3 z'^2$$

$$Q = x'^2 - 2y'^2 + 2z'^2.$$

For  $\lambda_1 = 1$  :

$$\begin{pmatrix} -1-1 & 1 & -1 \\ 1 & 1-1 & 1 \\ -1 & 1 & 1-1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} -2 & 1 & -1 \\ 1 & 0 & 1 \\ -1 & 1 & 0 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 1 \\ 1 \\ -1 \end{pmatrix}.$$

The principal axis:

$$\frac{1}{\sqrt{3}} \begin{pmatrix} 1 \\ 1 \\ -1 \end{pmatrix}.$$

For  $\lambda_2 = -2$  :

$$\begin{pmatrix} -1+2 & 1 & -1 \\ 1 & 1+2 & 1 \\ -1 & 1 & 1+2 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} 1 & 1 & -1 \\ 1 & 3 & 1 \\ -1 & 1 & 3 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 2 \\ -1 \\ 1 \end{pmatrix}.$$

The principal axis:

$$\frac{1}{\sqrt{6}} \begin{pmatrix} 2 \\ -1 \\ 1 \end{pmatrix}.$$

For  $\lambda_3 = 2$  :

$$\begin{pmatrix} -1-2 & 1 & -1 \\ 1 & 1-2 & 1 \\ -1 & 1 & 1-2 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} -3 & 1 & -1 \\ 1 & -1 & 1 \\ -1 & 1 & -1 \end{pmatrix} \begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 0 \\ 0 \end{pmatrix}$$

$$\begin{pmatrix} x \\ y \\ z \end{pmatrix} = \begin{pmatrix} 0 \\ 1 \\ 1 \end{pmatrix}.$$

The principal axis:

$$\frac{1}{\sqrt{2}} \begin{pmatrix} 0 \\ 1 \\ 1 \end{pmatrix}.$$

**Answer:**  $x'^2 - 2y'^2 + 2z'^2$ ;  $\frac{1}{\sqrt{3}} \begin{pmatrix} 1 \\ 1 \\ -1 \end{pmatrix}$ ,  $\frac{1}{\sqrt{6}} \begin{pmatrix} 2 \\ -1 \\ 1 \end{pmatrix}$ ,  $\frac{1}{\sqrt{2}} \begin{pmatrix} 0 \\ 1 \\ 1 \end{pmatrix}$ .