

```

//Answer on Question#38128, Programming, C++

#include <iostream>
#include <stack>

using namespace std;

bool isPrime(int n); //return true if number is prime

int main()
{
    int last = 2, num, tmp; //last remembers last prime factor
    cout << "Enter number : ";
    cin >> num;
    stack<int> pFactors;
    if (isPrime(num))
    {
        cout << "Number is prime" << endl;
    }
    else
    {
        tmp = num;
        while (tmp > 1)
        {
            if (isPrime(tmp))
            {
                pFactors.push(tmp);
                break;
            }
            for (int i = last; i <= tmp; i++)
            {
                if (isPrime(i) && (tmp % i == 0))
                {
                    last = i;
                    tmp /= i;
                    pFactors.push(i);
                    break;
                }
            }
        }
        cout << num << " = ";
        while (!pFactors.empty())
        {
            cout << pFactors.top();
            pFactors.pop();
            if (!pFactors.empty())
                cout << "*";
        }
        cout << endl;
    }
    cin.ignore();
    cin.get(); //wait for "Enter"
    return 0;
}

bool isPrime(int n)
{
    if (n == 2)
        return true;
    else if (n % 2 == 0)

```

```
    return false;
for (int i = 3; i < n; i++)
{
    if(n % i ==0)
        return false;
}
return true;
}
```